


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((syndrome* generat*))<in>metadata)"

Your search matched 11 of 1193303 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

» Key

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- | | |
|--------------------------|---|
| <input type="checkbox"/> | 1. Architectures for syndrome generation and error-location search in the decoding codes
Chung-Chin Lu; Heng-Shun Wang; Jia-Ping Chen;
Communications, IEEE Transactions on
Volume 52, Issue 2, Feb. 2004 Page(s):176 - 179
AbstractPlus References Full Text: PDF(216 KB) IEEE JNL |
| <input type="checkbox"/> | 2. 300 megabit/second Berlekamp decoder for binary BCH codes
Kraft, C.;
Global Telecommunications Conference, 1991. GLOBECOM '91. Countdown to the Ne
Featuring a Mini-Theme on: Personal Communications Services
2-5 Dec 1991 Page(s):775 - 778 vol.2
AbstractPlus Full Text: PDF(280 KB) IEEE CNF |
| <input type="checkbox"/> | 3. On syndrome generation and error location search in the decoding of Hermitian
Chung-Chin Lu; Heng-Shun Wang; Jia-Pyn Chen;
Information Theory, 2000. Proceedings. IEEE International Symposium on
25-30 June 2000 Page(s):421
AbstractPlus Full Text: PDF(100 KB) IEEE CNF |
| <input type="checkbox"/> | 4. A systematic (16,8) code for correcting double errors and detecting triple-adjacent
Gulliver, T.A.; Bhargava, V.K.;
Computers, IEEE Transactions on
Volume 42, Issue 1, Jan. 1993 Page(s):109 - 112
AbstractPlus Full Text: PDF(328 KB) IEEE JNL |
| <input type="checkbox"/> | 5. Wafer-scale diagnosis tolerating comparator faults
Sallay, B.; Maestrini, P.; Santi, P.;
Computers and Digital Techniques, IEE Proceedings-
Volume 146, Issue 4, July 1999 Page(s):211 - 215
AbstractPlus Full Text: PDF(444 KB) IEEE JNL |
| <input type="checkbox"/> | 6. The design of DSP components for the CD digital audio system using silicon con
techniques
Woudsma, R.; Delaruelle, A.;
Custom Integrated Circuits Conference, 1989., Proceedings of the IEEE 1989
15-18 May 1989 Page(s):20.4/1 - 20.4/5 |

AbstractPlus | Full Text: PDF(544 KB) IEEE CNF

- ☐ 7. **A combined Reed-Solomon encoder and syndrome generator with small hardware**
Fettweis, G.; Hassner, M.;
Circuits and Systems, 1992. ISCAS '92. Proceedings., 1992 IEEE International Symposium on
Volume 4, 3-6 May 1992 Page(s):1871 - 1874 vol.4
[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) [IEEE CNF](#)
 - ☐ 8. **Multirate structures for arbitrary rate error control coding**
Avesti-Mehr, A.S.; Nayebi, K.; Kasaei, S.;
Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03). 2003 IEEE International
Conference on
Volume 4, 6-10 April 2003 Page(s):IV - 245-8 vol.4
[AbstractPlus](#) | Full Text: [PDF](#)(294 KB) [IEEE CNF](#)
 - ☐ 9. **Area efficient parallel decoder architecture for long BCH codes**
Yanni Chen; Parhi, K.K.;
Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04). IEEE International
Conference on
Volume 5, 17-21 May 2004 Page(s):V - 73-6 vol.5
[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) [IEEE CNF](#)
 - ☐ 10. **Fast, minimal decoding complexity, system level, binary systematic (41, 32) single error correcting codes for on-chip DRAM applications**
Amir, K.; Eric, B.;
Defect and Fault Tolerance in VLSI Systems, 2001. Proceedings. 2001 IEEE International
Conference on
24-26 Oct. 2001 Page(s):308 - 313
[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) [IEEE CNF](#)
 - ☐ 11. **FPGA based realization of a reduced complexity high speed decoder for error control codes**
Abbasi, S.A.;
Electronics, Circuits and Systems, 2003. ICECS 2003. Proceedings of the 2003 10th IEEE
Conference on
Volume 3, 14-17 Dec. 2003 Page(s):1002 - 1005 Vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(1411 KB) [IEEE CNF](#)

[View Selected Items](#)

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE –

inspected by
inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((parity<near/4>inner-code)and(parity<near/4>outer-code))<in>metadata)"



Your search matched 1 of 1193303 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

- ☐ 1. Iterative Viterbi decoding, trellis shaping, and multilevel structure for high-rate p. concatenated TCM
Qi Wang; Lei Wei; Kennedy, R.A.;
Communications, IEEE Transactions on
Volume 50, Issue 1, Jan. 2002 Page(s):48 - 55
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(166 KB) IEEE JNL

[View Selected Items](#)Indexed by
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE


SEARCH

IEEE XPLORE GUIDE

Results for "(ecc decoder<in>metadata)"

Your search matched 8 of 1193303 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

Modify Search

» Key

(ecc decoder<in>metadata)



IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEEE CNF IEEE Conference Proceeding

☐

1. Nonlinear filters in joint source channel coding of images

Khayrallah, A.S.;
Information Theory, 1995. Proceedings., 1995 IEEE International Symposium on
17-22 Sept. 1995 Page(s):363[AbstractPlus](#) | Full Text: [PDF](#)(88 KB) IEEE CNF

IEEE STD IEEE Standard

☐

2. t-error-correcting (d,k) modulation codes

Yinyi Lin; Pi-Hai Liu;
Global Telecommunications Conference, 1997. GLOBECOM '97., IEEE
Volume 3, 3-8 Nov. 1997 Page(s):1240 - 1244 vol.3[AbstractPlus](#) | Full Text: [PDF](#)(428 KB) IEEE CNF☐

3. Iterative decoding for concatenated error correction coding in PRML channel sys

Sawaguchi, H.; Mita, S.; Wolf, J.K.;
Global Telecommunications Conference, 1999. GLOBECOM '99
Volume 1B, 1999 Page(s):749 - 754 vol. 1b[AbstractPlus](#) | Full Text: [PDF](#)(552 KB) IEEE CNF☐

4. Constrained coding and soft iterative decoding

Fan, J.L.;
Information Theory Workshop, 2001. Proceedings. 2001 IEEE
2-7 Sept. 2001 Page(s):18 - 20[AbstractPlus](#) | Full Text: [PDF](#)(264 KB) IEEE CNF☐

5. A concatenated coding technique for partial response channels

Sawaguchi, H.; Mita, S.; Wolf, J.K.;
Magnetics, IEEE Transactions on
Volume 37, Issue 2, March 2001 Page(s):695 - 703[AbstractPlus](#) | Full Text: [PDF](#)(256 KB) IEEE JNL☐

6. Parallel error-trapping and error-detection decoding

Lee, P.; Chang, S.;
Signals, Systems and Computers, 1991. 1991 Conference Record of the Twenty-Fifth,
Conference on
4-6 Nov. 1991 Page(s):35 - 38 vol.1[AbstractPlus](#) | Full Text: [PDF](#)(180 KB) IEEE CNF

- ☐ 7. **A reduced-complexity sequence detector with soft outputs for partial-response c**
Nasiri-Kenari, M.; Rushforth, C.K.; Abbaszadeh, A.D.;
Global Telecommunications Conference, 1993, including a Communications Theory Mi
Technical Program Conference Record, IEEE in Houston. GLOBECOM '93., IEEE
29 Nov.-2 Dec. 1993 Page(s):1955 - 1959 vol.3
[AbstractPlus](#) | Full Text: [PDF\(332 KB\)](#) [IEEE CNF](#)
- ☐ 8. **A robust ADPCM system using an error-correcting code**
Kohno, R.; Pasupathy, S.; Imai, H.; Hatori, M.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP
Volume 11, Apr 1986 Page(s):3091 - 3094
[AbstractPlus](#) | Full Text: [PDF\(224 KB\)](#) [IEEE CNF](#)

[View Selected Items](#)

indexed by
Inspe

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	shieh-jia-horng.in.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:48
L2	820656	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1))))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:52
L3	820620	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1))))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:53
L4	81	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1)))) and (syndrome\$1 near2 generat\$4)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:53
L5	49	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1)))) and (syndrome\$1 near2 generat\$4) and buffer\$1	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:54
L6	43	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1)))) and (syndrome\$1 near2 generat\$4) and buffer\$1 and (memory or memor\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:54
L7	42	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1)))) and (syndrome\$1 near2 generat\$4) and buffer\$1 and (memory or memor\$3) and ((error near2 correct\$4) or ECC)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:55
L8	27	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1)))) and (syndrome\$1 near2 generat\$4) and buffer\$1 and (memory or memor\$3) and ((error near2 correct\$4) or ECC) and (de-modulat\$4 or demodulat\$4)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:55

L9	27	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1)))) and (syndrome\$1 near2 generat\$4) and buffer\$1 and (memory or memor\$3) and ((error near2 correct\$4) or ECC) and (de-modulat\$4 or demodulat\$4) and decod\$4	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:56
L10	17	(PI or (parity adj2 (inner-code\$1 or (inner adj2 code\$1)))) and (PI or (parity adj2 (outer-code\$1 or (outer adj2 code\$1)))) and (syndrome\$1 near2 generat\$4) and buffer\$1 and (memory or memor\$3) and ((error near2 correct\$4) or ECC) and (de-modulat\$4 or demodulat\$4) and decod\$4 and (scrambl\$5 or de-scrambl\$5 or descrambl\$5)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:57